



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/725,663

12/01/2003

Radoslav Danilak

NVID-P001159

5113

45594

7590

08/05/2008

NVIDIA C/O MURABITO, HAO & BARNES LLP
TWO NORTH MARKET STREET
THIRD FLOOR
SAN JOSE, CA 95113

EXAMINER

LEE, CHUN KUAN

ART UNIT

PAPER NUMBER

2181

MAIL DATE

DELIVERY MODE

08/05/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/725,663	Applicant(s) DANILAK ET AL.	
	Examiner Chun-Kuan Lee	Art Unit 2181	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 May 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) 2-5,9-11 and 14-20 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,6-8,12 and 13 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>07/15/2008</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

RESPONSE TO ARGUMENTS

1. Applicant's arguments filed 05/28/2008 have been fully considered but they are not persuasive. Currently, claims 2-5 and 9-11 and 14-20 are withdrawn and claims 1, 6-8, 12 and 13 are pending for examination.
2. In response to applicant's arguments (on pages 11-13) regarding the amended independent claims 1 and 8 rejected under 35 U.S.C. 103(a) that the combination of references does not teach the amended claimed limitation "wherein the bypass register is memory mapped and implements aggregation of transaction information from a host CPU by using a memory mapped data transfer," because Chisholm does teach any memory mapped register or the use of such memory mapped register to transfer a disk I/O commands; applicant's arguments have fully been considered, but are not found to be persuasive.

The examiner respectfully disagrees, because Chisholm teaches the bypass register (Fig. 3, ref. 203, 311) coupled to the disk I/O engine, wherein the bypass register is memory mapped and implements aggregation of transaction information (e.g. command block with transaction information for data transferring) from a host CPU (Fig. 3, ref. 103) by using a memory mapped data transfer (col. 5, l. 1 to col. 6, l. 8), as the transferring of the command/data blocks are carried out by memory mapping to where the command/data blocks (Fig. 3, ref. 301) are stored in the host memory (Fig. 3, ref.

Art Unit: 2181

107) via memory address information received from the host CPU; therefore, the host CPU (Fig. 3, ref. 103) provides the memory address mapped to the host memory (Fig. 3, ref. 107) to transfer and aggregate the command blocks (e.g. transaction information) in the bypass register (Fig. 3, ref. 203, 311) for implementing transferring of the data blocks.

3. In response to applicant's arguments (on pages 11-13) regarding the amended independent claims 1 and 8 rejected under 35 U.S.C. 103(a) that the combination of references does not teach a bus master controller coupled to the disk I/O engine, a bypass register coupled to the bus master controller, an arbiter coupled to the bus master controller and the disk I/O engine; applicant's arguments have fully been considered, but are not found to be persuasive.

Please note one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). The examiner relied on the prior art as following for the teaching of the above claimed features:

Chisholm teaches a disk controller (Fig. 3, ref. 201, 203, 209, 213) comprising a bypass register (Fig. 3, ref. 203, 311) and a disk I/O engine (Fig. 3, ref. 209, 213) (col. 5, l. 1 to col. 6, l. 8).

Winkler teaches a system and a method comprising:

a bus master controller coupled to a disk I/O engine (e.g. hard disk controller) [0013], in combination with Chisholm's teachings, the bypass register which is coupled to the disk I/O engine is coupled to the bus master controller; and

an arbiter coupled to the bus master controller and the disk I/O engine (e.g. hard disk controller), to coordinate data transfers within the disk controller [0013].

4. In response to applicant's arguments (on pages 13-14) regarding the amended dependent claims 6 and 12 rejected under 35 U.S.C. 103(a) that the combination of references does not teach/suggest the claimed feature that the CPB buffers are directly connected to the I/O engine for control in a manner independent of the arbiter; applicant's arguments have fully been considered, but are not found to be persuasive.

Please note one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986). The examiner relied on the prior art as following for the teaching of the above claimed features:

Chisholm teaches the disk controller (Fig. 3, ref. 201, 203, 209, 213) comprising the CPB pointer buffers (Fig. 3, ref. 309) directly connected to the disk I/O engine (Fig. 3, ref. 209, 213) for control (Fig. 3, ref. 209, 213).

Winkler teaches the arbiter independent from the hard disk controller ([0013]).

The resulting combination of the references further teaches the CPB pointer buffers directly connected to the disk I/O engine for control independent of the arbiter, as the arbiter is independent from the disk controller.

I. ACKNOWLEDGEMENT OF REFERENCES CITED BY APPLICANT

5. As required by **M.P.E.P. 609(C)**, the applicant's submissions of the Information Disclosure Statement dated July 15, 2008 is acknowledged by the examiner and the cited references have been considered in the examination of the claims now pending. As required by **M.P.E.P 609 C(2)**, a copy of the PTOL-1449 initialed and dated by the examiner is attached to the instant office action.

II. REJECTIONS BASED ON PRIOR ART

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 6-8, 12 and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chisholm et al. (US Patent 5,968,143) in view of Wood et al. (US Patent 6,915,363), Davis et al. (US Patent 6,298,407) and Winkler et al. (US Pub.: 2004/0024948).

7. As per claims 1 and 8, Chisholm teaches a bridge component for implementing efficient disk I/O for a computer system, comprising:

- a bus interface (Fig. 3, ref. 109, 111) for interfacing with a processor (Fig. 1, ref. 103) and a system memory (Fig. 3, ref. 301) of the computer system;

- a disk controller (Fig. 3, ref. 201, 203, 209, 213) for executing disk transactions for the computer system, the disk controller further comprising:

- a disk I/O engine (Fig. 3, ref. 209, 213) coupled to the bus interface;

- a bypass register (Fig. 3, ref. 203, 311) coupled to the disk I/O engine, wherein the bypass register is memory mapped and implements aggregation of transaction information (e.g. command block with transaction information for data transferring) from a host CPU (Fig. 3, ref. 103) by using a memory mapped data transfer (col. 5, l. 1 to col. 6, l. 8), as the transferring of the command/data blocks are carried out by memory mapping to where the command/data blocks (Fig. 3, ref. 301) are stored in the host memory (Fig. 3, ref. 107) via memory address information received from the host CPU; therefore, the host CPU (Fig. 3, ref. 103) provides the memory address mapped to the host memory (Fig. 3, ref. 107) to transfer and aggregate the command blocks (e.g. transaction information) in the bypass register (Fig. 3, ref. 203, 311) for implementing transferring of the data blocks; and

- a device interface (Fig. 3, ref. 213) coupled to the disk I/O engine (Fig. 3, ref. 209) for interfacing the disk I/O engine with a disk drive (e.g. SCSI RAID disk drives) (Fig. 1, ref. 114 and col. 4, ll. 26-36), the disk I/O engine further configured to execute a disk transaction by processing the disk transaction information from the memory

mapped bypass register (Fig. 3, ref. 203, 311) coupled to the disk I/O engine (col. 5, l. 1 to col. 6, l. 8), as the command/data blocks are transferred to the memory mapped bypass register for implementing disk transaction and bypass the writing of a set of 8 bit registers in the disk controller as implemented in ATA disk drives.

Chisholm does not teach the bridge component comprising a bus master controller ...; an arbiter coupled to the bus master controller ...; and wherein the disk I/O engine is configured to cause a start up of the disk drive upon receiving a disk start up command from the processor, the start up command configured to hide a start latency of the disk drive.

Wood teaches a system and a method comprising
a host computer (Fig. 3, ref. 302);
an array of disk drives (Fig. 3, ref. 318) comprising a redundant array of
Inexpensive discs (RAID) (col. 1, ll. 47-51);
transferring a start command to the array of disk drives via a subsystem
controller (Fig. 3, ref. 314) to cause the array of disk drives to start up, as the timing for
transferring the start command to each disk drive is controlled and regulated (col. 3, ll.
10-27 and col. 6, ll. 1-65).

It would have been obvious to one of ordinary skill in this art, at the time of
invention was made to include Wood's start command into Chisholm's bridge
component for the benefit of enabling proper start up of the array of disk drives utilizing
out-of-band signaling without exceeding the capability of the power supply (Wood, col.

Art Unit: 2181

1, ll. 52-60 and col. 3, ll. 1-9) to obtain the invention as specified in claims 1 and 8. The resulting combination of the references further teaches the bridge component comprising wherein the subsystem controller (e.g. disk I/O engine) is configured to cause the disk drive to start up as the start command (e.g. disk start up command) is received from the host computer (e.g. processor).

Chisholm and Wood do not teach the bridge component comprising a bus master controller ...; an arbiter coupled to the bus master controller ...; and wherein the start up is configured to hide a start latency of the disk drive.

Davis teaches a bridge component comprising a number of data queues implemented to hide the delay associated with the requesting and obtaining access to a bus coupled to a corresponding peripheral as data can be transferred without delay (col. 1, l. 61 to col. 2, l. 3).

It would have been obvious to one of ordinary skill in this art, at the time of invention was made to include Davis's data queues into Chisholm and Wood's bridge component for the benefit of synchronizing the transferring of data between the initiator and the target (Davis, col. 2, ll. 10-13) to obtain the invention as specified in claims 1 and 8. The resulting combination of the references further teaches the bridge component comprising wherein the subsystem controller (e.g. disk I/O engine) is configured to cause the disk drive to start up as the start command (e.g. disk start up command) is received from the host computer (e.g. processor), wherein the start command would be configured to hide the delay associated with the disk drive's start

Art Unit: 2181

latency, as data to be transferred can be send following the transferring of the start command with delay.

Chisholm, Wood and Davis do not expressly teach the bridge component comprising a bus master controller ...; and an arbiter coupled to the bus master controller

Winkler teaches a system and a method comprising:

a bus master controller coupled to a disk I/O engine (e.g. hard disk controller) [0013], in combination with the above teachings, the bypass register which is coupled to the disk I/O engine is coupled to the bus master controller; and

an arbiter coupled to the bus master controller and the disk I/O engine (e.g. hard disk controller), to coordinate data transfers within the disk controller [0013], wherein the inclusion of the arbitration function into the disk controller would enable proper coordination of the data transferring for disk drive system such as RAID.

It would have been obvious for one of ordinary skill in this art, at the time of invention was made to include Winkler's bus master controller and arbitration into Chisholm, Wood and Davis's disk controller for the benefit of increasing the operation speed, as well as improving reliability and the efficiency in the transferring of data (Winkler, [0017]) to obtain the invention as specified in claims 1 and 8.

8. As per claims 6 and 12, Chisholm, Wood, Davis and Winkler teach all the limitations of claims 1 and 8 as discussed above, where Chisholm and Winkler further

Art Unit: 2181

teach the bridge component wherein the disk controller further comprising a CPB pointer buffer (Chisholm, command address queue 309 of Fig. 3) coupled to the disk I/O engine for dynamically appending a plurality of CPB pointers (e.g. addresses pointing to where the command block are stored) to extend to a number of disk transactions scheduled for execution by the disk I/O engine, the CPB pointer buffers (Chisholm, Fig. 3, ref. 309) directly connected to the disk I/O engine (Chisholm, Fig. 3, ref. 209, 213) for control independent of the arbiter (Chisholm, col. 5, l. 1 to col. 6, l. 8 and Winkler, [0013]).

9. As per claims 7 and 13, Chisholm, Wood, Davis and Winkler teach all the limitations of claims 1 and 8 as discussed above, where Chisholm teaches the bridge component wherein the disk controller further comprising a chain memory (Chisholm, Fig. 3, ref. 309, wherein the addresses are subsequently stored and retrieved in a chain) coupled to the disk I/O engine for buffering a plurality of CPBs (Chisholm, Fig. 3, ref. 304) to extend to a number of disk transactions scheduled for execution by the disk I/O engine (Chisholm, col. 5, l. 59 to col. 6, l. 8).

III. CLOSING COMMENTS

Conclusion

a. STATUS OF CLAIMS IN THE APPLICATION

The following is a summary of the treatment and status of all claims in the application as recommended by **M.P.E.P. 707.07(i)**:

a(1) CLAIMS REJECTED IN THE APPLICATION

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

b. DIRECTION OF FUTURE CORRESPONDENCES

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chun-Kuan (Mike) Lee whose telephone number is (571) 272-0671. The examiner can normally be reached on 8AM to 5PM.

IMPORTANT NOTE

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alford Kindred can be reached on (571) 272-4037. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/C.K.L./

July 29, 2008

Chun-Kuan (Mike) Lee
Examiner
Art Unit 2181

/Alford W. Kindred/

Supervisory Patent Examiner, Art Unit 2181